


SINGLE STAGE
90° MEDIAN CUTOUT



ANGLED MEDIAN CUTOUT
2 STAGE CROSSING

NOTES:

- PUSH BUTTONS PARALLEL TO LINE OF TRAVEL.
- CUT OUTS & WTGSI'S ARE INSTALLED IN DIRECTION OF TRAVEL.
- COORDINATES ARE TO CENTRE OF POLE OR CENTRE OF CUT OUTS AS APPLICABLE.
- PUSH BUTTONS ARE TO BE LOCATED 920mm ABOVE WALKING SURFACE SEE DRG S-4537 SHEET 6. (ALSO REF RD-EL-C2 6.25)
- PUSH BUTTONS DRIVING DIFFERENT AUDIO TACTILE SIGNALS SHALL BE LOCATED ON SEPARATE POLES (REF RD-EL-C2 6.23)
- FOR SIGNALISED INTERSECTION KERB RAMPS SEE DRG S-4074 SHEET 7
- FOR KERBING SEE DRG S-4070 SHEETS 6 & 7

LEGEND

SYMBOL	DESCRIPTION
	SIGNAL POLE AND PEDESTRIAN PUSH BUTTON. 0.6 x 0.6 BASE
	SIGNAL POLE AND AUDIO TACTILE PUSH BUTTON. 0.6 x 0.6 BASE
	PUSH BUTTON POLE AND AUDIO TACTILE PUSH BUTTON. 0.6 x 0.6 BASE
	WARNING TACTILE GROUND SURFACE INDICATOR, TILE AREA 0.6 x FULL WALKING WIDTH. (SEE AS1428.4) INSTALLED IN DIRECTION OF TRAVEL CONCRETE (RED)

THIS PLAN SUPERSEDES DRG. S-4075 SHT 1

 Government of South Australia Department of Planning, Transport and Infrastructure		PROJECT No.: DESIGN No.: PROJECT START ROAD RUNNING DISTANCE: PROJECT END ROAD RUNNING DISTANCE: SCALES:	FILE No.: SURVEY No.: ACCEPTED FOR USE: N O'CALLAGHAN TITLE: PRINCIPAL RD. DES. ENG DATE: 17/09/2014	ACCEPTANCE FORM KNET No.: 8854918	DRAWING No.: S-4075	SHEET No.: 5	AMEND No.: 1
DIMENSIONS ADDED, NOTES UPGRADED. LM 10.10 DUDZ P STRATTON 29.6.20		100 MILLIMETRES ON ORIGINAL DRAWING		ALL DIMENSIONS ARE IN METRES UNLESS SHOWN OTHERWISE		UNCONTROLLED COPY WHEN PRINTED	