

# **Zoe Bettison MP**

## Member for Ramsay

rey Wingard MP Minister for Infrastructure and Transport GPO Box 668 ADELAIDE SA


Dear Minister

I write on behalf of constituent

Nurlutta Railway Station on Thursday 14 March 2019.

#### RECEIVED 2.0 AUG 2020

	Rec'd/
	Reg. No
	File No
	Action Officer
	Response Due By
2	arding an incident at the



advised that the northern side of the crossing has been expanded to accommodate wheelchairs, but the southern side has not been upgraded. Given the stop's proximity to a disability-friendly workplace, the accessibility of the Nurlutta Railway Station's infrastructure is a priority.

My office has raised these concerns previously with the formen Minister for Transport, Stephen Knoll, however the Ministers response was less than satisfactory and the crossing as you are now aware is still only half completed.

Given your new Ministerial responsibilities, I ask for you to revise the previous Minister's response as the. Further, I would welcome the opportunity for you to visit the crossing and so that you may get a first-hand account of the incident. speak with 6

Yours sincerely

Hon Zoe Bettison MP MEMBER FOR RAMSAY

10 18/2020











Hon Zoe Bettison MP Member for Ramsay 2/40-42 Commercial Road SALISBURY SA 5108

Email: ramsay@sarljament.sa.gov.au



Minister for Human Services

Level 12 South 1 King William Street Adelaide SA 5000 GPO Box 2832 Adelaide SA 5001 DX 115 Tel 08 8463 6560 Fax 08 8463 4480

Dear Ms Bettison

Thank you for your letter on behalf of 6 regarding the National Disability Insurance Scheme (NDIS) arrangement with 13 CABS.

My office has consulted with the offices of the South Australian Minister responsible for Transport and Federal Minister for the NDIS regarding this matter.

I can advise that this matter is in relation to the National Disability Insurance Agency (NDIA) contract with 13 CABS. As such, the Minister for the NDIS will respond to you directly and I have asked that I be copied into the response.

Thank you again for bringing this matter to my attention.

Yours sincerely

Hon Michelle Lensink MLC

MINISTER FOR HUMAN SERVICES

fliceelle Leus in

4/8/2020

Cc

Hon Stuart Robert MP, Minister for the NDIS

ntion.

South
Australia

### Hon Corey Wingard MP



Minister for Infrastructure and Transport

Minister for Recreation, Sport and Racing

GPO Box 668 ADELAIDE SA 5001 DX 450

T: (08) 8490 6200

E: MinisterWingard@sa.gov.au

20MTF 032

Hon Zoe Bettison MP Member for Ramsay

By email: ramsay@parliament.sa.gov.au

Dear Ms Bettison

Thank you for your recent correspondence on behalf of cregarding the southern pedestrian crossing at the Nurlutta train station.

After receiving your correspondence, Lasked the Department for Infrastructure and Transport (DIT) for advice about this matter.

DIT has investigated the southern pedestrian crossing at the Nurlutta station including the manoeuvring space available within the pedestrian maze. While this crossing is not currently scheduled for an upgrade, your request for this location to be upgraded will be considered by DIT.

An interim fix to improve manoeuvring space in the pedestrian mazes by removing a section of the centre fence was also investigated, however this would increase the safety risk to pedestrians by allowing them to 'straight-line' the maze without looking both ways for trains. The current configuration of the mazes requires a pedestrian to turn and look in both directions, forcing them to observe both the up and down tracks for any oncoming trains.

People travelling by train are able to access the Bedford Industries site without using the southern pedestrian mazes. To access Bedford Industries, people alighting from the Gawler-bound platform are able to use the upgraded northern mazeway, while people alighting from the Adelaide-bound platform are able to cross at the pedestrian activated crossing on the eastern side of the railway corridor.

All railway pedestrian crossings are managed in accordance with the relevant standards and subject to regular inspections to ensure their safety. Upgrades are considered on a network wide basis and consider a range of factors including train frequency, train speed, proximity to level crossings, sighting distance and usage amongst others.

DIT continues to review and upgrade passive crossings on a priority basis, subject to availability of funding. I rus this information is of assistance. Transport of the colon of the c Hon Corey Wingard MP Minister for Infrastructure and Transport 1/12/2020

From: Subject: Date: Attachments:

DIT) DID

RE: Returned Ministerial Correspondence - 20MTR0321 - BETTISON MP, Hon Zoe - Nurlutta Train Station Wednesday, 18 November 2020 9:51:17 AM

DOCS AND FILES-#16052319-v3-20MTR0321 - RESPONSE

Zoe Bettison MP The Nurlutta Train Station

DOCS AND FILES-#16227934-v2-20MTR0321 - MINUTE - Zoe Bettison - 6

Nurlutta Train Station.DOC

find attached an updated brief as requested.

Kind reg

Editor - Public Affairs

Customer, Community and Public Affairs People and Corporate Services Department for Infrastructure and Transport

E sarah.schmidt2@sa.gov.au

GPO Box 1533, Adelaide SA 5001 • DX 171 • www.dit.sa.gov.au

I am available Monday, Tuesday lay, Thursday. Please note that I current work from home on Tuesday's and Thursday's.

collaboration . honesty . excellence . enjoyment . respect

We acknowledge and respect Aboriginal peoples as South Australia's first peoples and nations, we recognise Aboriginal peoples as traditional owners and occupants of land end waters in South Australia and that their spiritual, social, cultural and economic practices come from their traditional lands and waters; and they maintain their cultural and heritage beliefs, languages and laws which are of ongoing importance; We pay our respects to their ancestors and to their Elders.

Information contained in this email message may be confidential and may also be the subject of legal professional privilege or public interest immunity. Access to this email by anyone else is unauthorised. If you are n t the intended recipient, any use, disclosure or copying of this document is unauthorised and may be unlawful.

From:

(DIT)

Sent: Wednesday, 4 November 2020 10:45 AM

To: DIT:Ministerial Correspondence < DIT.Ministerial Correspondence@sa.gov.au>

Cc:

Subject: RE: Returned Ministerial Correspondence - 20MTR03 BETTISON MP, Hon Zoe -

**Nurlutta Train Station** 

Hi team

RE: 20MTR0321

I note in the minute provided that a short-term fix was identified where a section of the centre fence for each of the northern pedestrian mazes could be removed to provide additional manoeuvring room for wheelchairs and other mobility devices.

Can you seek advice as to why this short term fix could not be implemented? If it can implemented due to safety reasons, can it be advised why this is the case?

Due date: Tuesday, 10 November 2020

Thanks again for your help.

Regards

Ministerial Liaison Officer

#### Office of the Hon Corey Wingard MP

Minister for Infrastructure and Transport Moster for Recreation, Sport and Racing

6

GPO Box 668 | ADELAIDE SA 5001 | DX450

GPO Exchange Level 11 | 10 Franklin Street | ADELAIDE SA 5000

This email may contain confidential information, which also may be legally privileged. Only the intended recipient(s) may access, use, distribute of copy this email. If this email is received in error, please inform the sender by return email and delete the original. If this eare doubts about the validity of this message, please contact the sender by telephone. It is the recipient's responsibility to check the email and any attached files for viruses.

From: DIT:Ministerial Correspondence Sent: Thursday, 29 October 2020 2:13 PM

To:

Subject: Returned Ministerial Correspondence - 20MTR0321 - BETTISON MP, Hon Zoe - Nurlutta

**Train Station** 

Please find attached the departmental briefing and draft response for ID 20MTR0321 for your consideration.

Previous correspondence drafted regarding this matter is attached for your information.

Kind Regards

Editor - Public Affairs

Customer, Community and Public Affairs

People and Corporate Services

Department for Infrastructure and Transport

E sarah.schmidt2@sa.gov.au

GPO Box 1533, Adelaide SA 5001 • DX 171 • www.dit.sa.gov.au

I am available Monday, Tuesday, Wednesday, Thursday. Please note that I current worth home on Tuesday's and Thursday's.

collaboration . honesty . excellence . enjoyment . respect

We acknowledge and respect Aboriginal peoples as South Australia's first peoples and nations, we recignise Aboriginal peoples as traditional owners and occupants of land and waters in South Australia and that their spiritual, social, cultural and economic practices come from their traditional lands and waters; and they maintain their cultural and heritage beliefs, languages and laws which are of ongoing importance; We pay our respects to their encestors and termining Eiders.

Information contained in this email message may be confidential and may also be the subject of legal professional privilege or public interest immunity. Access to this email by enyone else is unauthorised. If you are not the intended recipient, any use, disclosure or copying of this document is unauthorised and may be unlawful.

2020/14019/01 #16052324



TO MINISTER FOR INFRASTRUCTURE AND TRANSPORT FOR NOTING APPROVAL

RE: 20MTR0321 - NURLUTTA RAILWAY STATION PEDESTRIAN

Critical Date: N/A

Reason: N/A

RECOMMENDATION(S):

DIT'S Recommendation(s)	Initials	Minister's Response
That you consider the attached draft letter of response that has been approved by Director Rail Infrastructure Maintenance.	3	Approved / Not Approved / Noted

Minister's Office use: Comm	ents
Comments:	Hon Corey Wingard MP
	7 / \2 2020

For Official Use Only

This document and its contents may contain confidential information and may be subject to legal professional privilege or public interest immunity. If you are not the intended recipient, any use, disclosure or reproduction is prohibited.

0 August 2020, Ms Zoe Bettison, Member for Ramsay wrote to you on behalf of regarding pedestrian mazes at Nurlutta Railway Station.

Aug

Nevember

Not instituted.

Bettker has writte

Ae response forwided,


sposed to the southern or

DISCUSSION:

Vilege or

14

This document and its contents may contain confidential information and may be subject to legal professional privilege or public interest immunity. If you are not the intended recipient, any use, disclosure or reproduction is prohibited.



A STATE

For Official Use Only

This document and its contents may contain confidential information and may be subject to legal professional privilege or public interest immunity. If you are not the intended recipient, any use, disclosure or reproduction is prohibited.

PO	Josephine Control							
	C)							
	00							
	6							
	1	2						
	DETTREDESTRIAN CROSSINGS SUMMARY - TRAIN AND TRAM							
		DPT PEDES		SINGS SUMMAR	RY - TRAIN AN	D TRAM		
	LINE	ACTIVE			ADJACENT TO LEVEL CROSSING	D TRAM STATION	TOTAL	
	LINE	ACTIVE	TR	INTERMEDIATE	ADJACENT TO LEVEL CROSSING	STATION		
	LINE Seaford Belair	ACTIVE	TR	INTERMEDIATE 8	ADJACENT TO LEVEL CROSSING 24 16		TOTAL 46 42	
	LINE Seaford Belair Gawler	ACTIVE 9 0 7	TR	INTERMEDIATE  8 11 4	ADJACENT TO LEVEL CROSSING 24 16 23	STATION 14 15 30	46 42 57	
	LINE Seaford Belair Gawler Outer Harbor	9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9	TR	INTERMEDIATE  8 11 4 14	ADJACENT TO LEVEL CROSSING 24 16 23	STATION  114 115 30 119	46 42 57 66	
	LINE Seaford Belair Gawler Outer Harbor Tonsley	9 0 0 7 8 4	PASSIVE	INTERMEDIATE  8 11 4 14 2	ADJACENT TO LEVEL CROSSING 24 16 23	STATION  14 15 30 19 1	46 42 57 66 8	
	LINE Seaford Belair Gawler Outer Harbor	9 0 0 7 8 4	PASSIVE	INTERMEDIATE  8 11 4 14 2 8	ADJACENT TO LEVEL CROSSING 24 16 23	STATION 14 15 30 19 1 1 6	46 42 57 66 8 22	
	LINE  Seaford Belair Gawler Outer Harbor Tonsley Grange	9 0 0 7 8 4	PASSIVE	INTERMEDIATE  8 11 4 14 2	ADJACENT TO LEVEL CROSSING 24 16	STATION  14 15 30 19 1	46 42 57 66 8	
	LINE  Seaford  Belair  Gawler  Outer Horbor  Tonsley  Grange  Goodwood Wye	9 0 0 7 8 4	PASSIVE	INTERMEDIATE  8 11 4 14 2 2 8 0	ADJACENT TO LEVEL CROSSING 24 16 23	STATION 14 15 30 19 1 1 6	46 42 57 66 8 22 3	
	Seaford Belair Gawler Outer Harbor Tonsley Grange Goodwood Wye Rosewater Loop	9 7 0 7 8 4 4 0	77 43 22 2 2 9 224	8 11 4 14 2 8 8 0 1	ADJACENT TO LEVEL CROSSING  24  16  23  33  5  8  8	STATION 14 15 30 19 1 1 6 0 0 0	46 42 57 66 8 22 3	
	Seaford Belair Gawler Outer Harbor Tonsley Grange Goodwood Wye Rosewater Loop	9 7 0 7 8 4 4 0	77 43 22 2 2 9 224	INTERMEDIATE  8 11 4 14 2 8 0 0 1 48	ADJACENT TO LEVEL CROSSING  24  16  23  33  5  8  8	STATION 14 15 30 19 1 1 6 0 0 0	46 42 57 66 8 22 3	
	Seaford Belair Gawler Outer Harbor Tonsley Grange Coodwood Wye Rosewater Loop Total	9 7 0 7 8 4 0 0 1 0 29	7R PASSIVE 37 37 37 37 37 37 37 37 37 37 37 37 37	INTERMEDIATE  8 11 4 14 2 8 0 1 48 AM SYSTEM	ADJACENT TO LEVEL CROSSING  24 16 23 33 5 8 120  ADJACENT TO LEVEL	STATION  14 15 30 10 1 6 0 0 85	46 42 57 66 8 22 3 9	
	LINE  Seaford  Belair  Gawler  Outer Harbor  Tonsley  Grange  Goodwood Wye  Rosewater Loop  Total	9 9 7 0 7 7 8 4 4 0 1 1 0 0 29 ACTIVE	PASSIVE  PASSIVE  PASSIVE  PASSIVE	INTERMEDIATE  8 11 4 14 2 8 0 1 48 AM SYSTEM	ADJACENT TO LEVEL CROSSING  24  16  23  33  5  8  32  120  ADJACENT TO LEVEL CROSSING	STATION  14 15 30 19 1 6 0 0 85	46 42 57 66 8 22 3 9 253	

Please note: The information contained within this register is subject to change without notice. Please ensures of theck regularly to ensure you have an up to date copy. If you find any errors or omissions please contact keith.chariton@sa.gov.au. For Maximo details please contact ams.support@sa.gov.au

The killometrage in this database is based on the Maximo killometrage and is different to land updated to match with this database ity the landmark's kilometrage will be

Updated - 3/07/2020

UNCONTROLLED WHEN PRINTED

For Official Use Only

or public unkrest immunity. If you are not the intended This document and its contents may contain confidential information and may be subject to legal professional privilege or recipient, any use, disclosure or reproduction is prohibited

Page 4 of 4

From: To:

DIT:Minister Wingard

Subject:

Attachments:

"ramsay@parliament.sa.gov.au" 20MTR0321 - Response

Date:

Wednesday, 9 December 2020 4:48:00 PM

20MTR0321 - Signed Letter - Bettison MP.PDF

#### afternoon

Please and attached correspondence from the Hon Corey Wingard MP, Minister for Infrastructure and Transport.

#### Kind Regards

Office of the flor Corey Wingard MP Minister for Infrastructure and Transport Minister for Recreation, Sport and Racing

p: 8490 6200 | f: 8463 6642 GPO Box 668 | ADELAIDE SA 5001 | DX450 GPO Exchange| Level 11| 10 Franklin Sheet | ADELAIDE SA 5000

This email may contain confidential information which also may be legally privileged. Only the intended recipient(s) may access, use, distribute or copy this email. If this email is received in error, place inform the sender by return email and delete the original. If there are doubts about the validity of this message, please contact the sender by return email and delete the original. If there are doubts about the validity of this message, please contact the sender by return email and delete the original. If there are doubts about the validity of this message, please contact the sender by return email and delete the original. If there are doubts about the validity of this message, please contact the sender by return email and delete the original. If there are doubts about the validity of this message, please contact the sender by return email and delete the original. If there are doubts about the validity of this message, please contact the sender by return email and delete the original. If there are doubts about the validity of this message, please contact the sender by return email and delete the original.

(ADELAID.

And its also may be legally, pier pictom the sender by and its allegence. It is the rec.

From: To:

DIT:Ministerial Correspondence

Subject:

20MTR0321 - BETTISON MP, Hon Zoe - Member for Ramsay - regarding the Nuriutta Train Station - DUE

ttachments:

Thursday, 17 September 2020 1:35:00 PM

20MTR0321.pdf

#### od afternoon

Liplease provide a briefing and draft response for the Minister's consideration.

### 8 October 2020

Kind Regards

**Business Support Officer** 

Office of the Hon Corey Wingard MP

Minister for Infrastructure and Transport

Minister for Recreation, Sport and Racing

GPO Box 668 | ADELAIDE SA 5001 | DX4 0 GPO Exchange | Level 11 | 10 Franklin Street | ADELAIDE SA 5000

This email may contain confidential information, which also may be legally privileged. Only the intended recipient(s) may access, use, distribute or copy this email. If this email is seened in error, please inform the sender by return email and delete the original. If there are doubts about the validity of this message, please contact the sender by telephone. It is the recipient's responsibility to check the email and any ottached files for viruses.

legally pr.
In error, please
Imessage, please co.
In error, please co.
In erro

2020/14019/01 #18052324



TO MINISTER FOR INFRASTRUCTURE AND TRANSPORT

FOR NOTING/APPROVAL

RE: 20MTR0321 - NURLUTTA RAILWAY STATION PEDESTRIAN

Critical Date: N/A

Reason: N/A

RECOMMENDATION(S):

DIT'S Recommendation(s)	Initials	Minister's Response
That you consider the attached draft letter response that has been approved by Director Rail Infrastructure Maintenance.		Approved / Not Approved / Noted

Minister's Office use: Comments	76
Comments:	To.
	Hon Corey Wingard MP / / 2020

For Official Use Only

This document and its contents may contain confidential information and may be subject to legal professional privilege of public interest immunity. If you are not the intended recipient, any use, disclosure or reproduction is prohibited.

10 August 2020, Ms Zoe Bettison, Member for Ramsay wrote to you on behalf of regarding pedestrian mazes at Nurlutta Railway Station.

#### DISCUSSION:

Ms Bettisen wrote to Minister Knoll in 2019 regarding the incident outlined in the correspondence to your office on 10 August 2020. The response provided by the Department identified the northern pedestrian crossing, as opposed to the southern crossing as was the subject of the query.

9

RECOMMENDATION:
That you consider the attached draft letter of response.
SENSITIVE: N/A
\*\*NCIAL IMPLICATIONS: No

\*\*IS: N/A

For Official Use Only

This document and its contents may contain confidential information and may be subject to legal professional privilege of public interest immunity. If you are not the intended recipient, any use, disclosure or reproduction is prohibited.

Page 2 of 3

HI PEDESTRIAN CROSSINGS SUMMARY - TRAIN AND TRAM

Man William					
- A - A	TR	AIN SYSTEM			
ACTIVE	PASSIVE	INTERMEDIATE		STATION	TOTAL
(j	37	8	24	14	46
0	42	11	16	15	42
7	_W_	4	23	30	57
8	50 (	14	33	19	66
4		2	5	1	8
0	22	8	В	6	22
1	2 🥊	0	3	0	3
0	9 🖫		8	0	9
29	224	48	120	65	253
	TR	AMSYSTEM		Transfer in the second	ential provided interacts many allice bigger on the
АСПУЕ	PASSIVE	INTERMEDIATE	ADJACENT TO LEVEL CROSSING	TRAM STOP	TOTAL
0	43	11	12	20	43
29	267	59	132	105	296
	9 0 7 8 4 4 0 0 29	9 37 7 7 8 8 9 9 224 TR  ACTIVE PASSIVE  0 43	9 37 9 11 1 1 1 4 4 2 2 0 6 1 1 2 0 0 2 2 6 0 0 0 0 0 0 0 0 0 0 0 0 0 0	ACTIVE   PASSIVE   INTERMEDIATE   LEVEL	CROSSING

The kilometrage in this database is based on the Maximo kilometrage and is different to fundmark's kilometrage updated to match with this database Sub-equantly the landmark's kilometrage will be

Updated - 3/07/2020

UNCONTROLLED WHEN PRINTED

For Official Use Only

public interest immunity. If you are not the intended This document and its contents may contain confidential information and may be subject to legal professional privilege or recipient, any use, disclosure or reproduction is prohibited.

Page 3 of 3