#### PART M66

## **MAINTENANCE ROAD USER AMENITIES**

#### **CONTENTS**

- 1. GENERAL
- 2. RESPONSE TIMES
- 3. RECORDS AND REPORTING
- 4. ADDITIONAL REQUIREMENTS
- 5. HOLD POINTS
- 6. ATTACHMENT M66A MAINTENANCE ACTIVITIES ROAD USER AMENITY MAINTENANCE (RA/RP)
- 7. ATTACHMENT M66B MAINTENANCE ACTIVITIES LITTER COLLECTION (RL/RC)

#### 1. **GENERAL**

- .1 This Part specifies the requirements for litter collection and road side facilities.
- .2 Documents referenced in this Part are listed below:
  - (a) Clause M06.3.2 "Loop Inspections"
  - (b) Clause M06.4 "Recording and Reporting Requirements"
  - (c) Clause M55.9 "Waste Management".

#### 2. RESPONSE TIMES

- .1 Rectification of roadside amenity facilities (RA) shall be undertaken in conjunction with Clause M06.3.2 "Loop Inspections".
- .2 Response time for litter collection (RL) shall be undertaken in conjunction with Clause M06.3.2 "Loop Inspections".
- .3 Rectification of any specific maintenance defects (RP and RC) shall be undertaken within the timeframes agreed to between the Superintendent and the Contractor.

## 3. RECORDS AND REPORTING

.1 The Contractor shall report on abandoned vehicles and Council registered dead animals in accordance with Clause M06.4 "Recording and Reporting Requirements".

#### 4. ADDITIONAL REQUIREMENTS

#### **Waste Disposal**

.1 The Contractor shall dispose of waste materials in accordance with Clause M55.9 "Waste Management".

## **Water Tanks**

.2 The Contractor shall ensure that any water tanks are inspected for damage or leaks and filled with potable water on an as required basis.

# <u>Litter</u>

- .3 Litter visible from the travelled way and within the Maintenance Activity Zone (MAZ) shall be removed at frequency specified within the intervention level. Litter visible as a result of mowing shall be removed either prior to or within 24 hours after mowing.
- .4 To remove any abandoned vehicles, the Contractor shall notify the following:
  - (a) the Traffic Management Centre (TMC) for freeways and expressways;
  - (b) SAPOL for road carriageways; or
  - (c) relevant Local Council, within other maintenance activity zones

# 5. HOLD POINTS

.1 There are no Hold Points referenced in this Part.

Specification: Part M66 Maintenance Road User Amenities

# Edition: Dec 2017

# 6. ATTACHMENT M66A MAINTENANCE ACTIVITIES ROAD USER AMENITY MAINTENANCE (RA/RP)

# **Application**

.1 This standard applies to roadside facilities listed in the Appendix 19.

Defects	Intervention Level	Compulsory Intervention Level	Performance Requirement
Routine Maintenance:  Defacing or damage to tables, toilets, litter bins, sun shelters, monuments, windsocks and water tanks (including the tap) that are repairable.	Defects where:  • Defacing or damage to tables, litter bins, sun shelters, toilets and monuments.	Not applicable	Furniture: Tables, litter bins, sun shelters, monuments, windsocks, toilets and water tanks are functional and do not present a hazard to road users.
Specific Maintenance:  Damaged asset elements that are beyond repair.	<ul> <li>Wind socks are missing, damaged or faulty.</li> <li>Water tanks are empty</li> </ul>		Water tanks: full of potable water, taps functional and lids secure.
	or damaged.		Windsocks: Operational.
	Facilities that are in an unsafe condition.		Litter: Litter bin lids in place and secured with locks.
	MDR Recording:		
	Defects shall be recorded on the MDR as RA.		<b>Environmental:</b> No vegetation within 500 mm of tables, litter bins, sun shelters, monuments, windsocks, and water tanks (including the tap).
	Specific Maintenance shall be recorded on the MDR as RP.		

# Edition: Dec 2017

# 7. ATTACHMENT M66B MAINTENANCE ACTIVITIES LITTER COLLECTION (RL/RC)

# **Application**

.1 This standard applies to the collection and removal of roadside litter.

Defects	Intervention Level	Compulsory Intervention Level	Performance Requirement
Routine Maintenance:	Defects where:	Defects where:	Safety: Dead animals removed from the
Litter or debris on the carriageway, drains, medians, at roadside rest areas, stack sites and weigh stations.	Litter or debris on carriageway, in bins, roadside rest areas, stack sites and weigh stations.	<ul> <li>litter or debris constitutes a hazard to road users,</li> <li>Animal carcasses on the carriageway.</li> </ul>	Appearance: No litter visible:
Road kill, (dead animals) on the carriageway.	Abandoned vehicles on the carriageway or in rest areas.	<ul> <li>Litterbins are full or ineffective,</li> <li>Road users complain about litter.</li> </ul>	<ul><li>from the carriageway;</li><li>within the road side rest area</li></ul>
Litter in bins.	MDR Recording:		Waste management:
Abandoned vehicles on the carriageway or in rest areas.	Defects shall be recorded on the MDR as RL		Litter bins empty and lined with a plastic bag.  Litter disposed of at a licensed waste depot.
Specific Maintenance: Car bodies removed from controlled access roads.	Specific Maintenance shall be recorded on the MDR as RC.		Abandoned vehicles removed from the carriageway.
Hard waste comprising of general household or commercial type waste not considered as normal road user litter, including tyres greater than 5 in number from any one site.			